



REHABILITATION PROTOCOL:

POSTERIOR SHOULDER STABILISATION
POSTERIOR CAPSULOLABRAL REPAIR
POSTERIOR GLENOID BONE GRAFT

Patient Name: _____

Date: _____

Sling: To be worn for 6 weeks.
0-2 weeks: Remove only for showering. Use disposable sling when showering.
WEAR THE SLING AT ALL OTHER TIMES.
2-4 weeks: Remove the neck strap when sitting and sleeping if desired.
WEAR THE SLING AT ALL OTHER TIMES
4-6 weeks: You may wean out of the sling inside the home as comfortable.
Normal day to day use of the arm is allowed but do not lift anything heavier than 1kg.
Continue to use the sling outside the home.

Information for therapist: Please avoid therapist controlled passive stretching.
Please avoid pendular exercises.
Please avoid pulleys until scapular control is demonstrated with no hitching.
Please take care to avoid tight grip during pulley exercises.
AVOID COMBINED IR AND FLEXION UNTIL 12 WEEKS
PLEASE CONTACT ME AT ANY TIME TO DISCUSS

0-2 weeks

- Follow the 'Shoulder Rehabilitation 0-2 weeks protocol'

2-6 weeks

- First post-operative visit at two weeks.
- Ice can be discontinued.
- Level 1 exercises.
- Do not force or stretch.

6-12 weeks

- Second post-operative visit at six weeks. **Please complete your online outcomes scores prior to the visit.**
- Completely discard sling.
- Start Level 2 exercises.
- Start Level 3 Scapular Positioning, Range of Motion and Early Strengthening Exercises.
- Progress to Level 3 Advanced Strengthening exercises.

12 weeks – 6 months

- The next post-operative visit is at 12 weeks. **Please complete your online outcomes scores prior to the visit.**
- Please organize your follow up X-rays prior to the visit (if needed).
- Start Level 4 exercises

6 months

- The next post-operative visit is at 6 months. **Please complete your online outcomes scores prior to the visit.**
- Start Level 5 exercises.

12 months

- The next post-operative visit is at 12 months. **Please complete your online outcomes scores prior to the visit.**
- Please organize your follow up CT prior to the visit.

Milestones

Work (light duties / office)	1-2	weeks
Swimming (breaststroke)	6-8	weeks
Driving	6-8	weeks
Work (manual)	3-6	months
Swimming (freestyle)	3-4	months
Golf	3-4	months
Contact Sports	6	months
90% of maximum improvement	6	months
100% of maximum improvement	12-24	months

Patient Appointment Notes

2 Weeks

6 Weeks

12 Weeks
